Hosted Direct mdEmail[®] Overview



https://www.directmdemail.com


Introduction

Direct Secure Messaging is a means for secure health information exchange within a trusted network. It is a scalable, interoperable, and easy-to-use technical standard announced by the ONC in 2010 as part of the Nationwide Health Information Network. The Direct Protocol enables participants to send authenticated, encrypted health information only to known and trusted recipients, creating an improved coordination of care amongst organizations, providers and patients.

Introduction

Please note...

- Direct Messages are routed to only trusted and known recipients.
- Direct Messages cannot be compromised during transmission.
- Direct Messages can be opened only by intended recipients.



jane.doe@direct.hospital.org

john.doe@direct.medpractice.com

Table of Contents

- Activating your Direct Address
- Logging In
- Navigating the Direct Message interface
- CCD Viewer
- Create, reply and forward Direct Messages
- Addressing a new Direct Message
- Notifications
- MDNs and DSNs
- Create new folders
- Common & Shared Mailboxes

Activating a Direct Address

- An Activation email will be delivered to a user's registered activation email address.
- Click the link in the email which will prompt password creation and complete the activation process.
- The link in the activation email will expire after one week, however, it can be resent upon request by contacting <u>support@max.md</u>

New Direct Email Account Activation Date: Today, 12:36:25 PM EDT From: MaxMD Direct Project To: kdfinlay@max.md	X View Source ▲ Save
Dear MaxMD Admin,	
Please click the link below to activate your new Direct mdEmail account. Once your password i you will be automatically logged into your Direct mdEmail account. If you have questions or require assistance, please reply to this email or call 1-877-629-6363	
customer support. https://www.max.md/maxmd-direct-init.html?p=qUpxrV6L0ITFSQl0y6- wpLvIhMJLLPiuRI5Y5xricYGOGH0HAh7HICCaX6ZtYQeXvZNSFMBQ_2hmp14LlbsQ1WVkk3mnNy Kevin Williams MaxMD Direct mdEmail Support 201-963-0005	/OicVhEBt2:

Logging In

MaxMD						
SECURE COMMUNICATIONS SOLUTIONS ENABLING BETTER COORDINATED CARE	About MaxMD	Products & Services	How it Works	Use Cases	Direct Tools	Contact
	Login to Hosted	l Direct mdEmai	®			
Direct address						
	Enter Direct address					
	Password					

Enter Password

Login Reset Password


Tutorials and Support

Click the Login button after typing your full Direct Address and password. Password reset emails will be sent to a user's alert email address

Login page:

https://www.directmdemail.com/auth/SignIn

Hosted Direct mdEmail[®] Interface




Hosted Direct mdEmail[®] Interface

Direct mdEmail v3.0	Mail 🗸	Calendar 🧭 Address Book 🗸 Tasks 🗸 Notes -	¢: ¢: ∨	Max Signatures V Search (Entire Message)
03/28/2017 12:50:12 CDT				kdfinlay@direct.max.md Inbox (98 Messages)
New Message	G Refresh	← Reply ▼ → Forward ▼ ÎDelete		Other ▼ Filter ▼
🖄 Inbox			Sort 🔻	▼ XD* Originated Message
Drafts		To: kdfinlay@direct.max.md Processed: Microsoft Outlook Test Message	04/26/2016	From: Yan Direct Production Other Options Other Op
🛕 Templates 💼 Trash		kwilliams@direct.max.md Re: CCD: TEST PORTAL PATIENT`	04/26/2016	To: kwilliams@directmax.md kdfinlay@direct.max.md
Folder Actions 💌		kwilliams@direct.max.md Dispatched: Re: CCD: TEST PORTAL PATIENT*	04/26/2016	🗗 Text part (1 KB) 🛓 🚔
Virtual Folders	0	kwilliams@direct.max.md Processed: Re: CCD: TEST PORTAL PATIENT'	04/26/2016	Dear Direct Message User,
Virtual Inbox		Yan Direct Production CCD with Cerner PDF	03/29/2016	The attached file(s) is/are the document(s) sent by Yan Wang (<u>xdsrc@direct.eval.md</u>)
		kwilliams@direct.max.md Processed: XD* Originated Message	03/28/2016	To view the CCD content, please save the attachment(s) to your local machine and then <u>Click Here</u> and upload the CCD to the MaxMD XD Message Viewer. Best regards.
		kwilliams@direct.max.md Dispatched: XD* Originated Message	03/28/2016	MaxMD Direct Project Team Download Attachment
l l		Yan Direct Production NLP CCD	02/05/2016	
ľ	•	Yan Direct Production NLP PDF - Using PDF Viewer	02/05/2016	
ľ		patientinfo@stvhs.direct.relayhealth.com processed:Interoperability Test	02/01/2016	Document1 xml (63 KB) ± ()
l l		interop-test@direct.relayhealth.com RE : MaxMD Interoperability Test	02/01/2016	One-click CCD Viewer
ľ		interop-test@direct.relayhealth.com processed:MaxMD Interoperability Test	02/01/2016	
ľ		ywang@direct.max.md Processed: Re:	08/26/2015	
l "		postmaster@direct.mdemail.md Re:	08/26/2015	Calact a Direct Massage
l l		cliu@direct.max.md Accepted: test	07/28/2015	Select a Direct Message
l l		cliu@direct.max.md Accepted: test	07/28/2015	to view in the preview
l l	T	Yan Direct Production XD* Originated Message	05/28/2014	pane. Double-click to
ľ		kdfinlay@max.md Re: test 6	05/08/2014	open the Message in a
1	1			
1				new window.
4				


CCD Viewer

Close Print Opwnload CCD MaxMD Direct CCL VCCR Viewer You are viewing a CCD document. File name: /IHE_XDM/SUBSET01/document.xml Select CCD Viewer Style Sheet ONC	Download CCD Print CCD]		S	ole of Contents to how, hide, or re- ange CCD section	
You can arrange the document to your preferences. Move sections by drawn of the value of th	C Medications	White Not Hispanic or Latino Primary Home: 329 MAINE ST BRUNSWICK, ME 04011 M000000091 Scafe5e5-ef45-4927-0494-5b2fef6831e4	Alanine March Aminotransferase March 12,2013 44 (Aninotransferase Albumin 12,2013 41 (6.31am Albumin 12,2013 gm/ 6.31am Akaline March 12,2013 10 (6.31am Anion Gap 2013 20, 3.35pm Anion Gap 2013 20, 3.35pm Blood Urea April 22, 2013 7, 3.35pm Blood Urea April 22, 2013 2013 Calclum Level 2013 3.35pm Calclum Level 2013 2013 Chloride Level 2013 2013 Creatinine 3.35pm Marth Glucose Level 2013 10, 3.35pm	suit Interp. Range Comments U/L N 5-45	Table of Contents	
		op sections to CCD content.	Hematocrit 12, 2013 41.0 6:31am	43.0		

Create, Reply and Forward Messages



Addressing a New Message



Attaching a File to a Message

	MaxMD Direct mdEmail v3.0	Mail ✓ Calendar ✓ Address Book ✓ Tasks ✓ Notes ✓ 🔅	
	28/2017 15:48:45 CDT		_ 0 _ x
Ð	New Message	Mail :: New Message - Google Chrome	
4	Inbox	Secure https://horde.max.md/imp/dynamic.php?page=compose&type=new&token=mwEKf7mN	LWh2N2rDzYUMIw4&uniq=
	Drafts	→ Send 🗹 マ 🚖 Save as Draft	8
(<u>†</u>)	Sent	New Message	
	Templates	From: kdfinlay@direct.max.md (Default Identity) ▼	✓ HTML composition ✓ Save in Sent ▼
Ŵ	Trash	To: Bruce Schreiber bruce@direct.max.md>,	Priority: Normal 🔻
	Folder Actions 💌	Add Cc Subject:	Other Options 🔻
~9	Virtual Folders	Choose File No file chosen	
6			
		🗐 Source 🏟 🗐 🦂 👘 😭 📸 🦕 🥕 👭 🚓 🗐 🖉	
		Styles Format To attach a file click the	
		Choose File button and	
		then navigate to the saved	
		file location. Click the	
		appropriate file to attach	
		to the Direct Message.	

Incoming Message Notifications

From:	MaxMD Direct Message Center <donotreply@maxmddirect.com></donotreply@maxmddirect.com>
To: Cc:	kdfinlay@max.md
Subject:	Successful Direct Message Delivery for kdfinlay@direct.max.md

When a Direct Message is received an email notification is sent to a user's Alert email address


Dear Keith Finlay,

You have received a new Direct message at your Direct address kdfinlay@direct.max.md. The message has been delivered to your endpoint.

From your Direct Message Center at MaxMD Direct mdEmail V3.0

------ Direct Message Information ------Alert ID: INBOUNDSERVER-00ff2b5d-d93c-4190-9bb1-4d3a7ea09230 From: <u>wwang@direct.max.md</u> To: <u>kdfinlay@direct.max.md</u> Sent Time: 2017-03-28 16:22:13 CDT Received Time: 2017-03-28 16:22:19 CDT SMTP Message-ID: Delivery Agent: Inbound Server

Message Delivery Notifications



MDNs vs DSNs for Outgoing Messages

Message Delivery Notification (MDN)

- Required of all HISPs per Direct Protocol specifications
- Generated by receiving HISP and delivered to the sender of a Direct Message
- Provides notification whether Direct Message was successfully processed by the receiving HISP
- If no MDN is generated for a Direct Message within 1 Hour, the Direct Protocol specifies the Direct Message must timeout and will not be delivered.

Delivery Status Notification (DSN)

- Not a requirement of the Direct Protocol
- Generated by receiving HISP and delivered to the sender of a Direct Message
- Provides notification whether Direct Message was successfully delivered by the receiving HISP to the enduser's inbox

Folder Actions

Direct mdEmail v3.0	Mail 🗸	Calendar 🗸 Address Book 🗸 Tasks 🗸 Notes 🗸	<u>ين</u>			
03/28/2017 16:36:28 CDT						
New Message	C Refresh	← Reply ▼ → Forward ▼ Delete				
🖄 Inbox			Sort 💌			
🛕 Drafts		kwilliams@direct.max.md	04/26/2016 🔺			
🕰 Sent		Processed: Re: CCD: TEST PORTAL PATIENT				
Templates		Yan Direct Production	03/29/2016			
Trash		CCD with Cerner PDF				
		kwilliams New folders can be created by clic	king the			
葿 Folder Actions 🔻 <		Processe Folder Actions down-arrow and the				
New Folder		selecting New Folder. Click Show				
Show All Folders		Dispatch				
Expand All		Yan Dire display created folders. Right-click				
Collapse All		NLP COL folders and Subscribe to display by	default.			
		Yan Direct Production	02/05/2016			
G Rebuild Folder List		NLP PDF - Using PDF Viewer				
		patientinfo@stvhs.direct.relayhealth.com 02/01/2016 processed:Interoperability Test				

Common & Shared Mailboxes

In some instances, there may be a need for an organization to have a Common or Shared Mailbox

Common Mailbox


- A Common Mailbox can be accessed by multiple authorized users.
- The Common Mailbox is displayed in the authorized user's folder located within each individuals Direct mdEmail[®] account by clicking Inbox, Folder Action, Show All.
- A reply from a Common Mailbox indicates the message is sent from the Direct Address of the individual that composes the reply, not from the Common Mailbox email address; this is for audit purposes.
- The Common Mailbox automatically populates the Common Mailbox Direct Address in the CC: field so other authorized users monitoring the Common Mailbox can view the reply. The reply message also appears in the "Sent" folder of the individual that composed the reply.
- Subfolders for Common Mailboxes can be made upon request.

Common & Shared Mailboxes

Shared Mailbox

- Authorized Users have the ability to share their Inbox and folders with other Authorized User(s) that share the same Direct domain.
- Shared mailboxes appear as folders and are located within each individuals Direct mdEmail account by clicking Inbox -> Folder Actions -> Show All.
- A reply from a Shared Mailbox indicates the message is sent from the Direct Address of the individual that composes the reply, not from the Owner of the Direct Mailbox being shared; this is for audit purposes.
- The Shared Mailbox automatically populates the Shared Mailbox Direct Address in the CC: field so the owner of the Shared Mailbox can view the reply. The reply message also appears in the "Sent" folder of the individual that composed the reply.
- Subfolders for Shared Mailboxes can be made upon request.

Common & Shared Mailboxes



Contact Us



2200 Fletcher Ave Suite 506 <u>support@max.md</u> 201-963-0005 <u>www.directmdemail.com</u>